

Mon, 2 Oct 2006, 12:44:51 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((((((((hybrid<in>metadata) <and>
(broadcast*<in>metadata))<or> (directory<in>metadata))
<and>(cache<in>metadata)))<and>(coheren* <paragraph>
protocol<in>metadata)))<and>(directory <near/5>
protocol<in>metadata)))<AND>(retry* <or>
retried<in>metadata))
- #2 ((((((((hybrid<in>metadata) <and>
(broadcast*<in>metadata))<or> (directory<in>metadata))
<and>(cache<in>metadata)))<and>(coheren* <paragraph>
protocol<in>metadata)))<AND>(directory <near/5>
protocol<in>metadata))
- #3 ((((((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata))<and>(cache<in>metadata)))
<AND>(coheren* <paragraph> protocol<in>metadata))
- #4 ((((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata))<AND>(cache<in>metadata))
- #5 (((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata)
- #6 (((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata)
- #7 (((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata)
- #8 (((hybrid<in>metadata) <and> (broadcast*<in>metadata))
<or> (directory<in>metadata)
- #9 ((((protocol<in>metadata) <and> (broadcast<in>metadata))
<and> (directory<in>metadata))<AND>(conflict* <or> (race
<near/3> condition) <or> (retry* <near/5> request*)
<in>metadata))
- #10 ((((protocol<in>metadata) <and> (broadcast<in>metadata))
<and> (directory<in>metadata))<AND>(conflict* <or> (race
<near/3> condition) <or> (retry* <near/5> request*)
<in>metadata))
- #11 (((protocol<in>metadata) <and> (broadcast<in>metadata))
<and> (directory<in>metadata)
- #12 (((protocol<in>metadata) <and> (broadcast<in>metadata))
<and> (directory<in>metadata)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	81	((order\$3 near3 point) ((serial\$7 near3 request\$3)) with (memory adj (line block)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:46
L2	61	L1 and (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:43
L3	17	L2 and ((memory with (connect\$3 attach\$5) with (processor node) with (network interconnect switch (switch adj fabric) (hierchical adj switch))) (((multipl\$5 several plural\$3 many) near3 node) with (attach\$5 connect\$3) with memory with network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:46
L4	14	L3 and ((state near5 (modified)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:46
L5	13	L4 and ((state near5 (owned)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:46
L6	13	L5 and ((state near5 dirty) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 20:46
L7	13	L6 and ((order\$3 near3 point) (serial\$8 near3 request\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:44

EAST Search History

L8	8	7 and ((writ\$3 near3 back) victim\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:04
L9	0	8 and ((broadcast\$3 with (writ\$3 near3 back)) same (acknowledg\$7 ACK))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:06
L10	0	8 and ((broadcast\$3 with (writ\$3 near3 back)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:06
L11	0	8 and ((broadcast\$3 with (writ\$3 near5 back)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:07
L12	0	8 and ((broadcast\$3 same (writ\$3 near5 back)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:07
L13	8	8 and ((broadcast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:05
L14	0	8 and (((broadcast\$3)) same (acknowledg\$7 ACK))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:08
L15	0	8 and ((broadcast\$3 near3 source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 21:48

EAST Search History

L16	2	"20030217236".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:23
L17	0	16 and (source near3 broadcast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:05
L18	0	"(20030217236) 20040002992 20050251631)".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:24
L19	6	("20030217236" "20040002992" "20050251631").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:24
L20	0	19 and (retry\$3 retried) with ((forward adj progress) (null adj directory) (directiry near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:29
L21	0	13 and (retry\$3 retried) with ((forward adj progress) (null adj directory) (directiry near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:30
L22	3	1 and (retry\$3 retried) with broadcast\$3 with ((forward adj progress) (null adj directory) (directiry near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:32
L23	3	(retry\$3 retried) with broadcast\$3 with ((forward adj progress) (null adj directory) (directiry near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:33

EAST Search History

L24	3	(retry\$3 retried) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:34
L25	3	(retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:35
L26	0	19 and ((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:33
L27	26864	19 amd (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:41
L28	0	19 and (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:41
L29	0	15 and (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:41
L30	10	1 and (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:42
L31	10	2 and (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:42

EAST Search History

L32	39	cache with (hybrid near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:42
L33	30	32 and (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:43
L34	13	33 and ((order\$3 near3 point) (serial\$8 near3 request\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 22:44
L35	220099	19 an((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:34
L36	0	19 and ((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:34
L37	3	1 and ((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:35
L38	4	((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:48
L39	3	38 and (hybrid adj protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:42

EAST Search History

L40	3	38 and (hybrid near5 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:42
L41	4733	(miss adj address adj file) MAF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:49
L42	68	41 same (write-back (writ\$3 near back) evict\$3 victim\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:50
L43	65	42 same (cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:51
L44	7	43 same ((broadcast\$3 snoop\$3) with (request\$3 response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:53
L45	32	43 and (((broadcast\$3 snoop\$3) with (request\$3 response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:53
L46	8	43 same(((broadcast\$3 snoop\$3) same (request\$3 response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:52
L47	1	46 not 44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:52

EAST Search History

L48	7	43 same (((broadcast\$3 snoop\$3) with (request\$3 response)) same (node processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:54
L49	27	43 and (((broadcast\$3 snoop\$3) with (request\$3 response)) same (node processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:59
L50	19	49 not 46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:55
L51	8	49 not 50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:59
L52	5	45 not 49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/01 23:59